

# **Safety Data Sheet**

Copyright, 2013, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 28-3655-9
 Version Number:
 2.00

 Issue Date:
 11/06/13
 Supercedes Date:
 05/20/10

## **SECTION 1: Identification**

### 1.1. Product identifier

3M Spray Lube Wire Pulling Lubricant Series (WLS-QT, WLS-1, WLS-5)

### **Product Identification Numbers**

ID Number UPC ID Number UPC

 80-6114-5049-7
 000-51128-57925-1
 80-6114-5050-5
 000-51128-57926-8

 80-6114-5051-3
 000-51128-57927-5
 80-6114-5440-8
 000-51128-58315-9

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Lubricant, Wire pulling lubricant

## 1.3. Supplier's details

**MANUFACTURER:** 3M

**DIVISION:** Electrical Markets Division

**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA **Telephone:** 1-888-3M HELPS (1-888-364-3577)

### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

## 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## 2.2. Label elements

## Signal word

Not applicable.

## **Symbols**

Not applicable.

### **Pictograms**

Not applicable.

#### 2.3. Hazards not otherwise classified

None.

4% of the mixture consists of ingredients of unknown acute oral toxicity.

# **SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	% by Wt
Potassium Vegetable Oil Soap	Trade Secret*	0.5 - 2
Polyethylene Glycol	25322-68-3	0.5 - 2
Paraffin Wax	Trade Secret*	0.5 - 2 Trade Secret *
Polydimethylsiloxane	Trade Secret*	0.25 - 1
Water	7732-18-5	> 90

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **Inhalation:**

No need for first aid is anticipated.

#### **Skin Contact:**

Wash with soap and water. If signs/symptoms develop, get medical attention.

## **Eye Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

## If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

## 5.1. Suitable extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

Substance
Carbon monoxide
Carbon dioxide

## **Condition**

During Combustion
During Combustion

-----

#### 5.3. Special protective actions for fire-fighters

No unusual fire or explosion hazards are anticipated.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

For industrial or professional use only. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

#### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

Ingredient C.A.S. No. Agency Limit type Additional Comments

Polyethylene Glycol 25322-68-3 American TWA(as particulate):10 mg/m3

Indust. Hygiene

Assoc

Amer Conf of Gov. Indust. Hyg. : American Conference of Governmental Industrial Hygienists

American Indust. Hygiene Assoc : American Industrial Hygiene Association

Chemical Manufacturer Rec Guid: Chemical Manufacturer's Recommended Guidelines

US Dept of Labor - OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

# 8.2. Exposure controls

## 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

\_\_\_\_\_

## 3M Spray Lube Wire Pulling Lubricant Series (WLS-QT, WLS-1, WLS-5) 11/06/13

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

### Skin/hand protection

No chemical protective gloves are required.

## **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

General Physical Form:

Specific Physical Form:

Liquid

Viscous

Odor, Color, Grade:Odorless clear liquid.Odor thresholdNo Data Available

pH 6.5 - 8.5Melting point Not Applicable
Boiling Point  $100 \,^{\circ}$ C

Flash Point

Evaporation rate

Evaporation rate

Evaporation rate

Not Applicable

Flammability (solid, gas)

Flammable Limits(LEL)

Flammable Limits(UEL)

Not Applicable

Not Applicable

Not Applicable

**Vapor Pressure** 18 mmHg [@ 68.0000000000 °F] [*Details:* @20C MITS data]

Vapor Density .9 - 1.1 [Ref Std: AIR=1]

**Density** Not Applicable

Specific Gravity 1.01 [Ref Std: WATER=1]

Solubility in Water Complete

**Solubility- non-water** No Data Available

Partition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNo Data Available

**Viscosity** 110,000 - 115,000 centipoise

Bulk densityNot ApplicableHazardous Air PollutantsNot ApplicableMolecular weightNot Applicable

**Volatile Organic Compounds** 0 lb/gal **Percent volatile** 0 %

**Softening point** Not Applicable

VOC Less H2O & Exempt Solvents 0 g/l

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

#### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

SubstanceConditionHydrocarbonsNot SpecifiedFormaldehydeNot Specified

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

## Inhalation:

No health effects are expected.

#### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

## **Eve Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

#### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

## **Toxicological Data**

## **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		Data not available or insufficient for classification;
-			calculated ATE > 5,000 mg/kg
Paraffin Wax			Data not available or insufficient for classification
Potassium Vegetable Oil Soap			Data not available or insufficient for classification
Polyethylene Glycol	Dermal	Rabbit	LD50 > 20,000 mg/kg
Polyethylene Glycol	Ingestion	Rat	LD50 32,770 mg/kg
Polydimethylsiloxane	Dermal	Rabbit	LD50 > 19,400 mg/kg
Polydimethylsiloxane	Ingestion	Rat	LD50 > 17,000 mg/kg

ATE = acute toxicity estimate

## **Skin Corrosion/Irritation**

Name	Species	Value
Paraffin Wax		Data not available or insufficient for classification
Polyethylene Glycol	Rabbit	Minimal irritation
Potassium Vegetable Oil Soap		Data not available or insufficient for classification
Polydimethylsiloxane	Rabbit	No significant irritation

**Serious Eve Damage/Irritation** 

=		
Name	Species	Value
Paraffin Wax		Data not available or insufficient for classification
Polyethylene Glycol	Rabbit	Mild irritant
Potassium Vegetable Oil Soap		Data not available or insufficient for classification
Polydimethylsiloxane	Rabbit	No significant irritation

## **Skin Sensitization**

Name	Species	Value
Paraffin Wax		Data not available or insufficient for classification
Polyethylene Glycol	Guinea	Not sensitizing
	pig	
Potassium Vegetable Oil Soap		Data not available or insufficient for classification
Polydimethylsiloxane		Data not available or insufficient for classification

**Respiratory Sensitization** 

Name	Species	Value
Paraffin Wax		Data not available or insufficient for classification
Polyethylene Glycol		Data not available or insufficient for classification
Potassium Vegetable Oil Soap		Data not available or insufficient for classification
Polydimethylsiloxane		Data not available or insufficient for classification

**Germ Cell Mutagenicity** 

Name	Route	Value
Paraffin Wax		Data not available or insufficient for classification
Polyethylene Glycol	In Vitro	Not mutagenic
Polyethylene Glycol	In vivo	Not mutagenic
Potassium Vegetable Oil Soap		Data not available or insufficient for classification
Polydimethylsiloxane		Data not available or insufficient for classification

Carcinogenicity

eur errogerrere,			
Name	Route	Species	Value
Paraffin Wax			Data not available or insufficient for classification
Polyethylene Glycol	Ingestion	Rat	Not carcinogenic
Potassium Vegetable Oil Soap			Data not available or insufficient for classification
Polydimethylsiloxane			Data not available or insufficient for classification

## Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure
					Duration

## 3M Spray Lube Wire Pulling Lubricant Series (WLS-QT, WLS-1, WLS-5) 11/06/13

Paraffin Wax		Data not available or insufficient for classification			
Polyethylene Glycol	Ingestion	Not toxic to female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation
Polyethylene Glycol	Ingestion	Not toxic to male reproduction	Rat	NOAEL 5699 +/- 1341 mg/kg/day	5 days
Polyethylene Glycol	Not Specified	Some positive reproductive/developmental data exist, but the data are not sufficient for classification		NOEL N/A	
Polyethylene Glycol	Ingestion	Some positive developmental data exist, but the data are not sufficient for classification	Mouse	NOAEL 562 mg/animal/da y	during gestation
Potassium Vegetable Oil Soap		Data not available or insufficient for classification			
Polydimethylsiloxane		Data not available or insufficient for classification			

## Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Polyethylene Glycol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1.008 mg/l	2 weeks
Paraffin Wax			Data not available or insufficient for classification			
Potassium Vegetable Oil Soap			Data not available or insufficient for classification			
Polydimethylsiloxane			Data not available or insufficient for classification			

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Polyethylene Glycol	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1.008 mg/l	2 weeks
Polyethylene Glycol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 5,640 mg/kg/day	13 weeks
Polyethylene Glycol	Ingestion	heart   endocrine system   hematopoietic system   liver   nervous system	All data are negative	Rat	NOAEL 5,640 mg/kg/day	13 weeks
Paraffin Wax			Data not available or insufficient for classification			
Potassium Vegetable Oil Soap			Data not available or insufficient for classification			

**Aspiration Hazard** 

Name	Value
Paraffin Wax	Not an aspiration hazard
Polyethylene Glycol	Not an aspiration hazard
Potassium Vegetable Oil Soap	Not an aspiration hazard
Polydimethylsiloxane	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

\_\_\_\_\_

# **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

## **SECTION 15: Regulatory information**

## 15.1. US Federal Regulations

Contact 3M for more information.

## 311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

## 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain

-----

## 3M Spray Lube Wire Pulling Lubricant Series (WLS-QT, WLS-1, WLS-5) 11/06/13

restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

## 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SECTION 16: Other information**

#### NFPA Hazard Classification

Health: 0 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

 Document Group:
 28-3655-9
 Version Number:
 2.00

 Issue Date:
 11/06/13
 Supercedes Date:
 05/20/10

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com