Material Safety Data Sheet



Henkel

Revision Number: 003.1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type:

Company address:

Henkel Corporation

Rocky Hill, Connecticut 06067

One Henkel Way

232 Retaining Compound Wheel Mount Adhesive Adhesive IDH number:

232710

Item number:27863Region:United StatesContact information:Telephone:860.571.5100Emergency telephone:860.571.5100Internet:www.henkelna.com

2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW HMIS:					
Physical : Color:		quid own	HEALTH: FLAMMABILITY:	2		
Odor:		naracteristic	PHYSICAL HAZARD: Personal Protection:	1 See MSDS Section 8		
	WARNING:		Y CAUSE ALLERGIC SKIN REACTION.			
		MAY CAUSE EYE	, SKIN AND RESPIRATORY TRA	CT IRRITATION.		
	routes of exposure: <u>Health Effects</u>	Eyes, Lungs, Skir	n			
	Inhalation: Skin contact: Eye contact: Ingestion:	May cause skin ir May cause irritatio	atory tract irritation. ritation. May cause allergic skin reaction. on. be harmful by ingestion.			
Existing of exposure	conditions aggravate	d by Eye disorders. Sk	kin disorders.			

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%				
Polyglycol dimethacrylate	25852-47-5	60 - 100				
Ethylene glycol	107-21-1	0.1 - 1				
4. FIRST AID MEASURES						

Inhalation:	
-------------	--

Skin contact:

Eye contact:

Move to fresh air. If symptoms develop and persist, get medical attention.

If symptoms develop and persist, get medical attention. Wash with soap and water. Remove contaminated clothing and footwear. Wash clothing before reuse.

Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention.

Ingestion:

Get medical attention. Do not induce vomiting. Keep individual calm.

5. FIRE FIGHTING MEASURES					
Flash point:	> 93.0 °C (> 199.4 °F) Tagliabue closed cup				
Autoignition temperature:	Not available				
Flammable/Explosive limits - lower:	Not available				
Flammable/Explosive limits - upper:	Not available				
Extinguishing media:	If product is involved in fire extinguish with dry powder, foam or carbon dioxide.				
Special firefighting procedures:	Wear self contained breathing apparatus.				
Unusual fire or explosion hazards:	None				
Hazardous combustion products:	Oxides of carbon. Irritating organic vapours.				

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Do not allow product to enter sewer or waterways.		
Clean-up methods:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled, closed container until disposal.		

7. HANDLING AND STORAGE

Handling:

Storage:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Use only with adequate ventilation.

For safe storage, store at or below 38 °C (100.4 °F) Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER	
Polyglycol dimethacrylate	None	None	None	None	
Ethylene glycol	100 mg/m3 Ceiling1 Aerosol.	S NORE NORE		None	
Engineering controls:	No specific ventilation requirements noted, but forced ventilation may still be required if concentrations exceed occupational exposure limits.				
Respiratory protection: Use NIOSH approved respirator if there is potential to exceed expo limit(s).				ed exposure	
Eye/face protection:	Safety goggles	Safety goggles or safety glasses with side shields.			
Skin protection: Use impermeable gloves and protective clothing as necessary to contact. Neoprene gloves. Butyl rubber gloves. Natural rubber gloves				<i>,</i> ,	

9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: **Evaporation rate:** Solubility in water: Partition coefficient (n-octanol/water): **VOC content:**
- Liquid Brown Characteristic Not available Not applicable < 5 mm hg (80 °F (26.7 °C)) 149.0 °C (300.2 °F) none Not available Not available > 93.0 °C (> 199.4 °F) Tagliabue closed cup Not available Not available Not available Not available Slight Not available Not available

10. STABILITY AND REACTIVITY

-				
Sta	h	il	it۱	1-
ola	v		i t y	7 -

Stable

Will not occur.

Hazardous reactions:

Hazardous decomposition products:

Incompatible materials:

Conditions to avoid:

See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

Strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Acute oral product toxicity:

LD50 (rat) > 5,000 mg/kg (Estimated)

Oxides of carbon. Irritating organic vapours.

Acute dermal product toxicity:

LD50 (rabbit) > 2,000 mg/kg (Estimated)

Hazardous components	rdous components NTP Ca		IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Polyglycol dimethacrylate	N	0	No	No
Ethylene glycol	No		No	No
Hazardous components	Health Effects/Target Organs			
Polyglycol dimethacrylate	Irritant, Allergen			
Ethylene glycol	Blood, Bone Marrow, Central nervous system, Developmental, Eyes, Irritant, Kidney, Liver, Metabolic			

12. ECOLOGICAL INFORMATION

Ecological information:

Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

Follow all local, state, federal and provincial regulations for disposal.

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION U.S. Department of Transportation Ground (49 CFR) Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None International Air Transportation (ICAO/IATA) Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None Water Transportation (IMO/IMDG) Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None **REGULATORY INFORMATION** 15. **United States Regulatory Information** TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. TSCA 12(b) Export Notification: None above reporting de minimus CERCLA/SARA Section 302 EHS: None above reporting de minimus CERCLA/SARA Section 311/312: Immediate Health, Delayed Health CERCLA/SARA 313: None above reporting de minimus **California Proposition 65:** This product contains a chemical known in the State of California to cause cancer.

Canada Regulatory Information

CEPA DSL/NDSL Status: WHMIS hazard class:

Substances List. D.2.A, D.2.B

16. OTHER INFORMATION

All components are listed on or are exempt from listing on the Canadian Domestic

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.