## **Material Safety Data Sheet**







#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type:

Company address:

Henkel Corporation

Rocky Hill, Connecticut 06067

One Henkel Way

Quickstix(TM) 668(TM) Retaining Compound-High Temp Anaerobic Adhesive IDH number:

640470

Item number:39148Region:United StatesContact information:Telephone:860.571.5100Emergency telephone:860.571.5100Internet:www.henkelna.com

# 2. HAZARDS IDENTIFICATION

		EMERGENCY OVERVIEW HMIS:	
Physical state: Color: Odor:	Semi-Solid Green Mild	HEALTH: FLAMMABILITY: PHYSICAL HAZARD:	*2 1 1
WARNI	MA	Personal Protection: USES EYE AND SKIN IRRITATION. Y CAUSE ALLERGIC SKIN REACTION. Y CAUSE RESPIRATORY TRACT IRRITATION. Y BE HARMFUL IF SWALLOWED.	See MSDS Section 8
Relevant routes of Potential Health Ef	•	Skin, Lungs, Eyes	
Inhalat		May cause respiratory tract irritation. May cause allergic skin reaction. Causes skin irritation. May c or rash.	ause skin irritation with discomfo
Eye co Ingest		Contact with eyes will cause irritation. May be harmful if swallowed.	
Existing conditions aggravated by exposure:		Eye, skin, and respiratory disorders.	
		This material is considered hazardous by the OSHA Hazard C 1910.1200).	Communication Standard (29 CFF

See Section 11 for additional toxicological information.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%	
2-Propenoic acid, 2-methyl-, (1-methylethylidene)	24448-20-2	30 - 60	
Polyglycol dimethacrylate	Proprietary	10 - 30	
Maleimide resin	3006-93-7	10 - 30	
Thixotropic agent	Unknown	10 - 30	
Hydroxyalkyl methacrylate	27813-02-1	5 - 10	
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5	
Cumene hydroperoxide	80-15-9	1 - 5	
1-Acetyl-2-phenylhydrazine	114-83-0	0.1 - 1	

4. FIRST AID MEASURES		
Inhalation:	Move to fresh air. If symptoms develop and persist, get medical attention.	
Skin contact:	If symptoms develop and persist, get medical attention. Wash clothing befor reuse. Remove contaminated clothing and footwear. Wash with soap and water.	
Eye contact:	Flush with copious amounts of water, preferably, lukewarm water for at lease 15 minutes, holding eyelids open all the time. Get medical attention.	
Ingestion:	Do not induce vomiting. Keep individual calm. Get medical attention.	
5. F	IRE FIGHTING MEASURES	
Flash point:	Not applicableProduct is a solid.	
Autoignition temperature:	Not available	
Flammable/Explosive limits - lower:	Not available	
Flammable/Explosive limits - upper:	Not available	
Extinguishing media:	Foam, dry chemical or carbon dioxide.	
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such a turn-out gear.	
Unusual fire or explosion hazards:	None	
Hazardous combustion products:	Irritating organic vapours. Oxides of carbon. Oxides of sulfur. Toxic fumes. Oxides of nitrogen.	

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.		
Environmental precautions:	Do not allow product to enter sewer or waterways.	
Clean-up methods:	Ensure adequate ventilation. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled, closed container until disposal.	
7	7. HANDLING AND STORAGE	

Handling:Use only with adequate ventilation. Prevent contact with eyes, skin and<br/>clothing. Do not breathe vapor and mist. Wash thoroughly after handling.Storage:For safe storage, store between 0 °C (32°F) and 38 °C (100.4 °F)<br/>Keep in a cool, well ventilated area away from heat, sparks and open flame.<br/>Keep container tightly closed until ready for use.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
2-Propenoic acid, 2-methyl-, (1-methylethylidene)	None	None	None	None
Polyglycol dimethacrylate	None	None	None	None
Maleimide resin	None	None	None	None
Thixotropic agent	None	None	None	None
Hydroxyalkyl methacrylate	None	None	None	1 ppm TWA 3 ppm STEL
Silica, amorphous, fumed, crystal-free	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	20 MPPCF TWA 0.8 mg/m3 TWA	None	None
Cumene hydroperoxide	None	None	1 ppm (6 mg/m3) TWA (SKIN)	None
1-Acetyl-2-phenylhydrazine	None	None	None	None

Engineering controls:

No specific ventilation requirements noted, but forced ventilation may still be required if concentrations exceed occupational exposure limits.

Use NIOSH approved respirator if there is potential to exceed exposure

**Respiratory protection:** 

Eye/face protection:

Skin protection:

Safety goggles or safety glasses with side shields.

Neoprene gloves. Nitrile gloves. Use impermeable gloves and protective clothing as necessary to prevent skin contact.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

limit(s).

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): **VOC content:** 

Semi-Solid Green Mild Not available Not applicable < 5 mm hg (80 °F (26.7 °C)) > 300 °F (> 148.9 °C) Not available 1.1228 Not available Not applicableProduct is a solid. Not available Not available Not available Not available Slight Not available 0.79 %; 8.86 g/l

#### **10. STABILITY AND REACTIVITY**

Stability:	Stable
Hazardous reactions:	Will not occur.
Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Toxic fumes. Irritating organic vapours. Oxides of sulfur.
Incompatible materials:	Acids. Reducing agents. Alkalis. Amines. This chemical contains heavy metals. Peroxides. Oxygen scavengers. Free radical initiators. Other polymerization initiators. Strong oxidizing agents.
Conditions to avoid:	See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

#### 11. TOXICOLOGICAL INFORMATION

Acute oral product toxicity:

LD50 (rat) > 10,000 mg/kg

Acute dermal product toxicity:

LD50 (rabbit) > 2,000 mg/kg (Estimated)

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	
2-Propenoic acid, 2-methyl-, (1- methylethylidene)	No	No	No	
Polyglycol dimethacrylate	No	No	No	
Maleimide resin	No	No	No	
Thixotropic agent	No	No	No	
Hydroxyalkyl methacrylate	No	No	No	
Silica, amorphous, fumed, crystal-free	No	No	No	
Cumene hydroperoxide	No	No	No	
1-Acetyl-2-phenylhydrazine	No	No	No	
Hazardous components		Health Effects/Targe	t Organs	
2-Propenoic acid, 2-methyl-, (1-methylethylidene)		Irritant, Allergen		
Polyglycol dimethacrylate		Irritant, Allergen		
Maleimide resin		No Target Organs		

# Allergen, Blood, Kidney, Mutagen, Some evidence of carcinogenicity 12. ECOLOGICAL INFORMATION

Ecological information:

Silica, amorphous, fumed, crystal-free

Thixotropic agent

Hydroxyalkyl methacrylate

1-Acetyl-2-phenylhydrazine

Cumene hydroperoxide

Not available

#### **13. DISPOSAL CONSIDERATIONS**

Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

No Data

Irritant, Allergen

Nuisance dust Allergen, Central nervous system, Corrosive, Irritant, Mutagen

Hazardous waste number:

Not a RCRA hazardous waste.

#### **14. TRANSPORT INFORMATION**

The shipping classifications in this sections are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR)			
Proper shipping name:	Not regulated		
Hazard class or division:	None		
Identification number:	None		
Packing group:	None		
International Air Transportation (ICAO/IATA) Proper shipping name: Not regulated			
Hazard class or division:	None		
Identification number: None			
Packing group:	None		
Water Transportation (IMO/IMDG)			

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

#### **15. REGULATORY INFORMATION**

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.	
TSCA 12(b) Export Notification:	None above reporting de minimus	
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimus Delayed Health, Immediate Health This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Cumene hydroperoxide (CAS# 80-15-9).	
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.	
Canada Regulatory Information		
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.	
WHMIS hazard class:	D.2.B	
16. OTHER INFORMATION		

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.