Material Safety Data Sheet



Henkel Issue date: 10/06/2009

Revision Number: 003.1

1. PRODUCT AND COMPANY IDENTIFICATION				
Product name:	Quickstix(TM) 5 Dressing	534(TM) Hi-Tack Gasket	IDH number:	640804
Product type:	Anaerobic Adhe	sive	Item number: Region:	39156 United States
Company address Henkel Corporation One Henkel Way Rocky Hill, Connec	١		Contact informat Telephone: 860.5	tion: 571.5100 hone: 860.571.5100
		2. HAZARDS	IDENTIFICAT	ΓΙΟΝ
		EMERGENCY	OVERVIEW	
Physical state: Color: Odor: WARN	MA	USES EYE, SKIN AI Y BE HARMFUL IF Y CAUSE ALLERGI	Personal I ND RESPIRATO SWALLOWED.	BILITY: 1 L HAZARD: 1 Protection: See MSDS Section 8 ORY TRACT IRRITATION.
Relevant routes o	f exposure:	Skin, Inhalation, Eyes		
Potential Health E	ffects			
	contact: ontact:	May cause irritation to n Causes skin irritation. M Vapors may irritate eyes May cause gastrointesti	lay cause allergic sl	s will cause irritation.
Existing condition exposure:	ns aggravated by	Acrylic acid: Respiratory	/ disorders. Lung dis	sease.
		This material is conside 1910.1200).	red hazardous by th	ne OSHA Hazard Communication Standard (29 CFF

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%	
Polyurethane methacrylate resin	Proprietary	60 - 100	
Polyglycol dimethacrylate	25852-47-5	10 - 30	
Thixotropic agent	Unknown	5 - 10	
Acrylic acid	79-10-7	1 - 5	
Cumene hydroperoxide	80-15-9	1 - 5	
Saccharin	81-07-2	1 - 5	

4. FIRST AID MEASURES

Inhalation:

Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms develop and persist, get medical attention.

Skin contact:	Remove contaminated clothing and footwear. Wash with soap and water. Wash clothing before reuse. If symptoms develop and persist, get medical attention.
Eye contact:	Get medical attention. Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time.
Ingestion:	Do not induce vomiting. Keep individual calm. Never give anything by mouth to an unconscious person. Get medical attention.

5. FIRE FIGHTING MEASURES

Flash point:	Not applicable
Autoignition temperature:	Not available
Flammable/Explosive limits - lower:	Not available
Flammable/Explosive limits - upper:	Not available
Extinguishing media:	Foam, dry chemical or carbon dioxide.
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
Unusual fire or explosion hazards:	None
Hazardous combustion products:	Oxides of carbon. Oxides of nitrogen. Oxides of sulfur. Irritating organic vapours.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.		
Environmental precautions:	Do not allow product to enter sewer or waterways.	
Clean-up methods: Ensure adequate ventilation. Soak up with inert absorbent material (e.g. sand silica gel, acid binder, universal binder, sawdust). Store in a partly filled, closed container until disposal.		
	7. HANDLING AND STORAGE	

Handling:Avoid contact with eyes, skin and clothing. Do not breathe
gas/fumes/vapor/spray.Storage:For safe storage, store between 0 °C (32°F) and 38 °C (100.4 °F)

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Polyurethane methacrylate resin	None	None	None	None
Polyglycol dimethacrylate	None	None	None	None
Thixotropic agent	None	None	None	None
Acrylic acid	2 ppm TWA (SKIN)	None	None	1 ppm TWA 3 ppm STEL (SKIN)
Cumene hydroperoxide	None	None	1 ppm (6 mg/m3) TWA (SKIN)	None
Saccharin	None	None	None	None

Engineering controls:

Respiratory protection:

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

Safety goggles or safety glasses with side shields.

Skin protection:

Eye/face protection:

Use impermeable gloves and protective clothing as necessary to prevent skin contact. Natural rubber gloves. Neoprene gloves. Butyl rubber gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content:

Solid Purple Sharp Not available Not applicable Not available Not available Not available 1.128 Not available Not applicable Not available Not available Not available Not available Slight Not available 0.51 %; 5.79 g/l

10. STABILITY AND REACTIVITY

Stability:	Stable	
Hazardous reactions:	Will not occur.	
Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Oxides of sulfur. Irritating organic vapours.	
Incompatible materials:	Strong oxidizing agents. Other polymerization initiators. Strong alkalis. Strong reducing agents.	
Conditions to avoid:	See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).	
11. TOXICOLOGICAL INFORMATION		

LD50 (rat) > 5,000 mg/kg (Estimated)

LD50 (rabbit) > 2,000 mg/kg (Estimated)

Acute oral product toxicity:

Acute dermal product toxicity:

Product name: Quickstix(TM) 534(TM) Hi-Tack Gasket Dressing Page 3 of 5

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	
Polyurethane methacrylate resin	No	No	No	
Polyglycol dimethacrylate	No	No	No	
Thixotropic agent	No	No	No	
Acrylic acid	No	No	No	
Cumene hydroperoxide	No	No	No	
Saccharin	No	No	No	
Hazardous components		Health Effects/Targe	et Organs	
Polyurethane methacrylate resin		Irritant, Allergen		
Polyglycol dimethacrylate		Irritant, Allergen		
Thixotropic agent		No Data		
Acrylic acid		Allergen, Corrosive, Irritant, Kidney, Liver		
Cumene hydroperoxide	Allerg	Allergen, Central nervous system, Corrosive, Irritant, Mutagen		
Saccharin		No Target Organs		

12. ECOLOGICAL INFORMATION

Ecological information:

Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.		
Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal		
Hazardous waste number:	Not a RCRA hazardous waste.	

14. TRANSPORT INFORMATION

The shipping classifications in this sections are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR)
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
International Air Transportation (ICAO/IATA)	1
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
Water Transportation (IMO/IMDG)	
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: TSCA 12(b) Export Notification:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None above reporting de minimus
CERCLA/SARA Section 302 EHS:	None above reporting de minimus
CERCLA/SARA Section 311/312:	Immediate Health, Delayed Health

Product name: Quickstix(TM) 534(TM) Hi-Tack Gasket Dressing Page 4 of 5

CERCLA/SARA 313: CERCLA Reportable quantity:	This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Acrylic acid (CAS# 79-10-7). Cumene hydroperoxide (CAS# 80-15-9). Saccharin (CAS# 81-07-2). Cumene hydroperoxide (CAS# 80-15-9) 10 lbs. (4.54 kg)
California Proposition 65:	This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.
WHMIS hazard class:	D.2.B

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.